Connecting to Engineering Printers for MRL (MAC)

1. Open System Preferences and click Printers & Scanners



2. Click the + icon and choose Add Printer or Scanner...

Printers	m	rl-208-printer	
 Idle 		Open Print Queu	IP
mrl-264-cfclaser		open i mit quee	
mrl-264-color		Options & Suppli	es
	Location: MR	L 208	
	Kind: Ge	neric PostScript Prir	nter
	Status: Idle	3	
	Share this printer o	n the network	Sharing Preferences
H -			
	rinter: L	ast Printer Used	2
Nearby Printers		IS Lattar	

3. Right click on the menu bar and choose **Customize Toolbar**

ault IP Windows	✓ Icon and Text Icon Only Text Only	
Name	Hide Toolbar	Kind
HP Color LaserJet Pro MFP M1 HP Color LaserJet Pro MFP M1	Use Small Size	Bonjour Bonjour
IP LaserJet P3005 [ED3B2A] IP LaserJet Pro M201dw (B90	Customize Toolbar	Bonjour Bonjour
Name:		
Name: Location:		
Name: Location: Use:		\$

4. Drag the **Advanced** icon into the menu bar and click **Done**

000	Add		
Default IP Windows Adva	anced		
Drag your favorite it) the toolbar		
🚔 🔅 (۵ 🔒 🔇		<>
Windows Advanced	IP Default Search	Space	Flexible Space
or drag the default set into	o the toolbar.		
		Q Search	
Default IP Windows		Search	
Show Icon and Text ᅌ	Use small size		Done

5. Click on the Advanced icon and fill in the information

		-	Ŵ		Add					
Default	IP	Windows	Advanced							
	Type:	Window	vs printer v	ia spool	SS					\$
D	evice:	Another	r Device							\$
	URL:	smb://er	ngr-print-0	1.engr.ill	linois.ec	du/mr -	264-cf	claser		
	Name	e: mrl-26	4-cfclaser							
L	ocatior	m MRL 2	64							
	Use	: Gener	ric PCL Pri	nter						\bigcirc
		The sele use all th	cted printer ne features c	software of your pr	isn't fro inter.	m the m	anufact	urer and	may not l	et you
Q										Add

Type: Windows printer via spools Device: Another Device URL: smb://engr-print-01.engr.illinois.edu/*Printer name* Name: *Printer name* Location: *Printer location* Use: Generic PCL Printer

Printers

Name	Location	Use	Duplex	Availability
MRL-264-cfclaser	MRL 264	Generic PCL Printer	Yes	9-5 M-F
MRL-208-printer	MRL 208	Generic PCL Printer	Yes	Available 24/7
MRL-264-color	MRL 264	Select Software	Yes, leave other	9-5 M-F
		HP Color LaserJet CP6015	options as default	

6. Printers that support duplexing (printing on both sides) may be prompted to enable the Duplexer. Check the **Duplexer** and click **OK**.

000	Add
😫 🛞 📹	Q. Search
Default IP Windows	Search
Setting up	o 'engr-print-01.engr.illinois.edu'
Make sure y can take ful	your printer's options are accurately shown here so you Il advantage of them.
Duplex Printing Ur	nit
	Cancel OK
	Add

Please enter **uofi\netid** and your **AD password** when printing.

"mrl-264-cfc	claser".
Name:	UOFI\netid
Password:	
Rememb	per this password in my keychain
	Cancel