C.A.R.E. PHYS 213 Quiz 1 Review Session

Queue@Illinois

Zaahi (PHYS 213) (zaahimh2) Logout

CARE / CARE PHYS 213 Exam Review Session

No location specified

Enable notifications

Open Queue

Delete All Questions

Show staff message

This affects anyone using this queue

On-Duty Staff

No on-duty staff

Join

Queue

Welcor ...sion!

Tutors ...uring these times:

Tuesda

Worksl

Slides

Solutic

Also, h ...n the test. If you do not have a Jupyter Notebook environment installe ...y suggestion for this coding example!

Jupyte


Good l

This queue is closed. Check back later!

Units for the Exam

- Internal Energy
- Temperature
- Heat Capacity
- Entropy

Internal Energy



- Total energy is **<u>ALWAYS</u>** conserved
- **Positive work on a system increases the system's internal energy**
- **Higher temperature → More Internal Energy**
- First law of thermodynamics:

$$\Delta U = W_{on} + Q$$


Change in internal energy	Work done on the system	Heat added to the system

Temperature & Heat Capacity

- **Heat Capacity** (*C*) - how much energy it takes to **increase** the temperature of a substance by 1 K/°C
  - Units of J/K

$$C = dQ/dT$$

- **Larger *C*** $\rightarrow$ **More energy** is required to **increase the temperature** of the object



Between aluminum and water, which one has the greater heat capacity?

Water has the larger heat capacity

Types of Heat Capacity

- **Molar Heat Capacity [J/mol K]:** The amount of heat required to raise the temperature of **1 mole** of a substance by 1 K/°C
  - $c_M = C/n$, where n is the number of moles
- **Specific Heat Capacity [J/kg K]:** The amount of heat required to raise the temperature of **1 kg** of a substance by 1 K/°C
  - $c = C/m$, where m is the mass [kg]
- **Heat Capacity at a Constant Volume and Constant Pressure:**
  - $C_v = dU/dT$
  - $C_P = dU/dT + p\ dV/dT$

Equipartition & Heat Capacity

- Only need to memorize DOFs for monatomic gas, diatomic gas, and solids (3, 5, and 6, respectively)

- For substances under the **<u>equipartition assumption:</u>**





$$U = \frac{N_{\text{DOF}}}{2} NkT \implies C_v = \frac{dU}{dT} = \frac{N_{\text{DOF}}}{2} Nk$$

***Nk = nR**

R = 8.314 J/(mol K)

R = 0.08206 L atm/(mol K)

Equipartition

	Molecule	Degrees of freedom	U	C_v
Monatomic: DOF = 3		$N_{DOF} = 3$ x, y, z momentum	$U = \frac{3}{2}NkT$	$C_v = \frac{3}{2}Nk$
Diatomic: DOF = 5		$N_{DOF} = 5$ x, y, z momentum 2 rotation axes	$U = \frac{(3+2)}{2}NkT$	$C_v = \frac{5}{2}Nk$
Vibrational: DOF = 7		x, y, z momentum 2 rotation axes vibration mode (momentum+potential) $N_{DOF} = 7$	$U = \frac{(3+2+2)}{2}NkT$	$C_v = \frac{7}{2}Nk$
Solid: DOF = 6		x, y, z momentum x, y, z spring modes	$U = \frac{(3+3)}{2}NkT$	$C_v = 3Nk$

Entropy


- Microstate vs Macrostate:
  - Microstate: individual, **specific** arrangement
  - Macrostate: property that arises from the microstates
  - **Many microstates can lead to the same macrostate**
    - Two people have the same weight (macroststate), but the distribution of the weight can be different (microstate)





Dice Example

- **Microstate**: set of individual die values
- **Macrostate**: sum of die values



	2	3	4	5	6	7
	3	4	5	6	7	8
	4	5	6	7	8	9
	5	6	7	8	9	10
	6	7	8	9	10	11
	7	8	9	10	11	12

Binomial Coefficient

If I have ***N* coins** and I am looking for the macrostate with ***q* heads**, the number of microstates:

$$\binom{N}{q} = \frac{N!}{q!(N-q)!}$$

Example: If I have **20 coins**, how many microstates are associated with the macrostate of getting **7 heads**?

Answer:

$$\binom{20}{7} = \frac{20!}{7!\,(20-7)!} = 77520$$


Entropy (Cont.)

- Entropy (*S*) is a measure of the degree of ‘diversity’ associated with a macrostate
  - $S = k\ ln(\Omega)$, where Ω is the number of microstates
  - **Second Law of Thermodynamics:** $\Delta S \geq 0$

- Equilibrium
  - Occurs when the macrostate of the system ceases to change
  - The **most probable macrostate** is the one with the **highest entropy (most microstates)**
  - **Equilibrium** is achieved when **S, entropy, is maximized**

Entropy (Cont.) - Dice Example

- What is the most likely macrostate?
    - 7: has the largest number of microstates associated with it
    - Probability = 6/36 = 0.167
- What is the macrostate with the highest entropy?
    - Again, 7: has the largest number of microstates associated with it
- **Entropy of a macrostate is simply a measure of the number of microstates associated with it**
- **More microstates → Higher Entropy, Higher Probability**



Important Equations

Start with the definition of temperature

$$\frac{1}{T} \equiv \left(\frac{\partial S}{\partial U}\right)_{V,N}$$

multiply by dU

$$\frac{1}{T} dU = dS$$

integrate

$$\Delta S = \int_{U_i}^{U_f} \frac{1}{T} dU$$

at constant volume $dQ = dU$

$$C_V = \left(\frac{dU}{dT}\right)_{V,N}$$

multiply by dT

$$C_V dT = dU$$

plug dU into ΔS

$$\Delta S = \int_{T_i}^{T_f} \frac{C_V(T)}{T} dT$$

Or the definition of heat capacity

$$C_V = \left(\frac{dQ}{dT}\right)_{V,N}$$

multiply by dT

$$C_V dT = dQ$$

integrate

$$\Delta U = \int_{T_i}^{T_f} C_V(T) dT$$

Differential Manipulation

- Know these tricks!

$$C = \frac{\partial U}{\partial T} \implies \Delta U = \int_{T_i}^{T_f} C \mathrm{d}T$$

- Heat Capacity is the link between *dU* and *dT*


$$\frac{\partial S}{\partial U} = \frac{1}{T} \implies \Delta S = \int \frac{\mathrm{d}U}{T} = \int_{T_i}^{T_f} \frac{C \mathrm{d}T}{T}$$

    - **If you know the heat capacity and the temperature change, you can find the change in internal energy and the change in entropy**

Entropy of Two Blocks in Thermal Contact - Example

Two blocks A and B, are in thermal contact and insulated from surroundings. Initially, block A is at a higher temperature than block B. **Each block has a temperature-dependent heat capacity given by $C = pT^2$.**

Determine the entropy change for each block



Entropy of Two Blocks in Thermal Contact - Example (Cont.)

$$dS = \frac{dQ}{T}$$

$$\Delta S = \int \frac{dQ}{T}$$

$$C = \frac{dQ}{dT}$$

$$\Delta S = \int_{T_i}^{T_f} \frac{pT^2}{T}\, dT$$

$$= \int_{T_i}^{T_f} pT\, dT$$

$$= p\frac{{T_f}^2}{2} - p\frac{{T_i}^2}{2} = \frac{p}{2}\left[{T_f}^2 - {T_i}^2\right]$$

$$\Delta S_A = \frac{p}{2}\left[{T_{A,f}}^2 - {T_{A,i}}^2\right]$$


$$\Delta S_B = \frac{p}{2}\left[{T_{B,f}}^2 - {T_{B,i}}^2\right]$$

$$\Delta S = \int_{T_i}^{T_f} \frac{C\, dT}{T}$$

Entropy (S) vs. Internal Energy (U)

- Since slope is always positive, temperature is always positive
- **More energy = greater entropy**
- **Diminishing returns:** it gets harder and harder to increase the entropy as internal energy increases
- **Decreasing slope = increasing temperature**
  - **More energy means greater temperature**

$$\frac{1}{T} \equiv \left(\frac{dS}{dU}\right)_{V,N}$$



Good luck!

Feel free to ask any questions you may have.

You got this!

